

Model NO. : SSL-23
Titan series Solar Street Lights 3000Lumens
Intelligence/Efficiency/Energy Saving
Application: High way/Park/Street/Roadway/Parking
Lot/Public square/ plaza/Campus/Airfield/Farm &
Ranch/Remote Area/Military Base/Government project for
special use
Categories: [Solar Street Light](#)

www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-
2208 Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com

Features:
 1.ALS(Adaptive Lighting System) to achieve all night lighting when Weather change. Constant current output!
 2.VFT(Variable Frequency Technology) to Control and adjust the LED driver frequency to reach the max output of LED and Battery
 3.TCS (Temperature Control System) to Protect the battery charging and discharging in high temperate
 4.Big solar panel and high brightness All-in-one design, no need separated mount for solar panel and light.
 5.The adjustable solar panel and LED Panel to increase the charging efficiency and lighting area
 6. Customized high quality PIR which can reach motion distance over 15M
 7. More professional 2 times lighting distribution for road lighting, wide lighting angle reach 140°
 8.South Korea imported LED Chip SSC,160 lumen/W
 9.Remote control to setting the different lighting mode.

price per unit	50 pcs Price			
us\$1012.00 BUY NOW	us\$999.85 BUY NOW			

LED	3000 lumens SSC LED Chip 3030 5500-6500K	Lighting mode
------------	---	----------------------

Li-ion battery	481WH 18.5V	Main Lighting mode as below 1. Constant Brightness without motion sensor. 2. Dim lighting + Motion sensor 3. Summer and Winter Mode Option for energy saving
Solar Panel	23V 61.5W	
Install height	6M	

Waterproof	IP65	Application: High way/Park/Street/Roadway/Parking Lot/Public square/ plaza/Campus/Airfield/Farm & Ranch/Remote Area/Military Base/Government project for special use
Solar charging time	10-11 hours by bright sunlight	

Lighting time		Retail packaging: Carton size: 144.3*50*24.5CM QTY/CTNS: 1PCS G.W/CTNS: www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com
Material	Aluminium alloy+PC	
Size	1530*421*385mm	
Warranty	3 years	



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com





www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

•PRODUCTS DETAIL


•

Main Features:

- 1.Design: Big solar panel, Battery, LED panel are all in One Integrated Design
- 2.Solar panel: High efficiency Glass Lamination panel
- 3.LED: South Korea imported LED Chip SSC,160 lumen/W
- 4.Battery : A graded Li-ion battery No.18650
- 5.PIR :Motion sensor distance over 15M
- 6.Remote controller : Adjust brightness ,lighting time and lighting mode
- 7.Special function: The Solar panel install angle is adjustable from -15° to 30°, and LED panels also adjust from -15° to 30° . In order to reach the best sunlight power and get the best lighting power.
- 8.Technology: three core Intelligence technology to improve brightness 30% and save power 50%

www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

Working process instructions



www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

Sales@usaemergencysolarenergy.com

600 17th Street South Tower Floor 28 Denver Colorado 80202 USA

Office Phone: +1-303-634-2208 Office Fax: +1-303-634-2209

www.usaemergencysolarenergy.com

