

Model NO. : SCL-01R

Solar Courtyard Light 1000 Lumens

High quality/Efficiency/Energy Saving

Application: Courtyard/Garden/ garage door/  
warehouse/stable/gateway/escape trunk/corridor etc.

Categories: **Solar Street Light**

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

www.usaemergencysolarenergy.com PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
sales@usaemergencysolarenergy.com



<p>Features:  Can be mounted on Pole and Wall.  Installing angle can be adjusted to 0/15/30 degree to enlarge the lighting area and charging efficiency  Professional lighting distribution to enlarge the lighting area.  Remote control to setting the timer/brightness, ON/OFF, Remote controller battery: 2pcs AAA 1.5V  Easy for home use instal,1000Lumens Super-bright LED light.  Sensitive PIR Motion Sensor, Waterproof IP65</p>		price per unit	100 pcs Price			
		<b>us\$143.00 BUY NOW</b>	<b>us\$132.45 BUY NOW</b>			
<b>LED</b>	<b>1000Lumens,30 LEDs 6000K±500K</b>	<b>Lighting mode</b>				
Li-ion battery	12000mAh 3.7V	<b>Option A:Dim lighting 150 lumens +motion sensor (500 lumens for 30secs when people move through the light)</b> <b>Option B. 1 or 2 hrs(optional) in 500 lumens or 1000 lumens (optional), and then turn to lighting mode same as Option A above</b>				
Solar Panel	6.4W, 10years span life.					
Install height	2.5~3.5 meters	<b>Application:</b> <b>Outdoor wall or pole in Plaza, Park, Garden, Courtyard, Street, Walkway, Pathway, Campus, Airfield, Farm, Perimeter Security etc....</b>				
Waterproof	IP 65					
Solar charging time	9-10 hours by bright sunlight					
<b>Lighting time</b>	<b>More than 4 nights((Dimmer mode)</b>					
Material	PC+Aluminum Alloy	<b>Packing details:</b> <b>Retail packaging: L54*W30*H13.5CM</b> <b>Carton size: L56*W32*H56CM</b> <b>QTY/CTNS: 4PCS</b> <b>G.W/CTNS: 15.4KG</b> <a href="http://www.usaemergencysolarenergy.com">www.usaemergencysolarenergy.com</a> PH+1-303-634-2208 Fax: +1-303-634-2208 Email: <a href="mailto:sales@usaemergencysolarenergy.com">sales@usaemergencysolarenergy.com</a>				
Size	450*246*86mm					
Warranty	1 years					

www.usaemergencysolarenergy.com PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
sales@usaemergencysolarenergy.com





[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208 Fax:  
+1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



www.usaemergencysolarenergy.com PH+1-303-634-  
2208 Fax: +1-303-634-2208 Email:  
sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
sales@usaemergencysolarenergy.com



- **PRODUCTS DETAIL**

- Main Features:

- 1.Design: Solar panel, Battery, LED panel are all in One Integrated Design
- 2.Solar panel: High efficiency monocrystalline silicon
- 3.LED: High quality LED 120 lumen/W
- 4.Battery : A graded Li-ion battery No.18650
- 5.PIR :Motion sensor distance 3M
- 6.Waterproof: IP65
- 7.Material : Aluminum Alloy + PC

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



## **Working process instructions**

