

Model NO. : SWL-01

Solar Pull switch Wall Light 1000 Lumens

High quality/Efficiency/Energy Saving

Application: Courtyard/Garden/ garage door/
warehouse/stable/gateway/escape trunk/corridor etc.

Categories: **Solar Motion Wall Light**

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com
PH+1-303-634-2208 Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com

Features: 1.Smart Pull Switch to select the lighting mode and satisfy different Customer use. 2.(ALS)Adaptive Lighting System to achieve all night lighting when Weather change.Constant current output! 3.VFT(Variable Frequency Technology) to Control and adjust the LED driver frequency to reach the max output of LED and Battery 4.TCS (Temperature Control System) to Protect the battery charging and discharging in high temperate		price per unit	500 pcs Price			
		us\$65.13 BUY NOW	us\$52.01 BUY NOW			
LED	1000 lumens (2835 28PCS 6000-6500K+3PCS 2800-3300K)	Lighting Mode				
Li-ion battery	4000mA 3.7V	4 Options lighting mode control by the pull switch A.70 lumens Dim lighting +motion sensor (Bright lighting 1000 lumens for 30secs when people move through the light) B. Keep in 1000 lumens C. Keep in 500 lumens D. Off				
Solar Panel	5.5V 3W					
Install height	2-2.5M					
Waterproof	IP65					
Solar charging time	8-9h	Application: Wall/Step/Road/Garden/Park/Square/Street /Pathway etc				
Lighting time		Packing details: Retail packaging: L31 .5 *W21 *H 23CM Carton size: L48*W31*H59CM QTY/CTNS: 6PCS G.W/CTNS: 9.7KG www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com				
Material	PC+AL					
Size	282*185*205mm					
Warranty	1 Year					



www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com




www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com

www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



- **PRODUCTS DETAIL**

-

Main Features:

1. Design: Solar panel, Battery, LED panel are all in One
2. Pull switch: adjust the brightness and lighting time
3. Solar panel: High efficiency monocrystalline silicon
4. LED: High quality LED 120 lumen/W
5. Battery: A graded Li-ion battery No.18650
6. PIR: Motion sensor distance 3M
7. Waterproof: IP65
8. Material : Aluminum Alloy + PC

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com


Working process instructions

ON/OFF function:
ON: Inter dim light + PIR
OFF: turn off lighting system

Then screw on the wall or pole by the supplied screws



Push the black button here



Step1: Light switch off for sun charging in daytime.

①




②

Step2: In dim light+ PIR mode: the lamp turn on 1000LM high light for 30S when people come 4M near.



Step4: When in ON situation, the pull switch function following below cycle:
1. Dim light 70LM+PIR 1000LM 30S
2. 100%:1000LM
3. 50%: 500LM
4. OFF
Four choices in cycle with memory function.




③

Step3 : When people leave 4M away, it will turn on 70LM dim light again.



④



www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com