

Model NO. : SWL-02

Solar Pull switch Wall Light 400Lumens

High quality/Efficiency/Energy Saving

Application: Courtyard/Garden/ garage door/
warehouse/stable/gateway/escape trunk/corridor etc.

Categories: **Solar Motion Wall Light**

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com


<p>Features:</p> <p>1.Smart Pull Switch to select the lighting mode and satisfy different Customer use.</p> <p>2.(ALS)Adaptive Lighting System to achieve all night lighting when Weather change. Constant current output!</p> <p>3.VFT(Variable Frequency Technology) to Control and adjust the LED driver frequency to reach the max output of LED and Battery</p> <p>4.TCS (Temperature Control System) to Protect the battery charging and discharging in high temperate</p>		price per unit	500 pcs Price			
		us\$65.15 BUY NOW	US\$59.5/unit BUY NOW			
LED	400 lumens (2835 10PCS 6000-6500K+10PCS 2800-3300K)	Lighting Mode				
Li-ion battery	2000mA 3.7V	<p>4 Options lighting mode control by the pull switch</p> <p>A.20 lumens Dim lighting +motion sensor (Bright lighting 400 lumens for 30secs when people move through the light)</p> <p>B. Keep in 400 lumens</p> <p>C. Keep in 200 lumens</p> <p>D. Off</p>				
Solar Panel	5.5V 1W					
Install height	2-2.5M	<p>Application:</p> <p>Wall/Step/Road/Garden/Park/Square/Street /Pathway etc</p>				
Waterproof	IP65					
Solar charging time	9-10H	<p>Packing details:</p> <p>Retail packaging: L13.5*W10.5*H24CM</p> <p>Carton size: L44*W42.5*H50CM</p> <p>QTY/CTNS: 24PCS</p> <p>G.W/CTNS: 13KG</p> <p>www.usaemergencysolarenergy.com PH+1-303-634-2208</p> <p>Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com</p>				
Lighting time	3nights					
Material	PC+ABS					
Size	131*234*101mm					
Warranty	1 Year					



www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com
PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com
PH+1-303-634-2208 Fax: +1-303-634-2208
Email: sales@usaemergencysolarenergy.com

• PRODUCTS DETAIL

•

Main Features:

1. Design: Solar panel, Battery, LED panel are all in One
2. Pull switch: adjust the brightness and lighting time
3. Solar panel: High efficiency monocrystalline silicon
4. LED: High quality LED 120 lumen/W
5. Battery: A graded Li-ion battery No.18650
6. PIR: Motion sensor distance 3M
7. Waterproof: IP65
8. Material : Aluminum Alloy + PC

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

How's the light working?

