

Model NO. : SLL-17

Solar Wall Washer Light 400 Lumens

High quality/Efficiency/Energy Saving


Application: Courtyard/Garden/ garage door/  
warehouse/stable/gateway/escape trunk/corridor etc

Categories: [solar wall washer light](#)

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
[sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



<p>Features:  All-Aluminum Case with Strong and Elegant Patent design  Multifunctional for Wall Washer, Advertising Lighting, Building &amp; Bridge Decoration, Plant Landscape Decoration, Fence Light etc.,  Wide Range of Applications  Adjustable Angle to Change the Lighting &amp; Decorating Area  Customizable Colors Base on Different Requirement, RGB Available</p>		price per unit	100 pcs Price			
		us\$226.12 <b>BUY NOW</b>	us\$194.12 <b>BUY NOW</b>			
<b>LED</b>	<b>400Lumens,6000K±500K</b>	<b>Lighting mode</b>				
Li-ion battery	10400 mAh 3.7V	<b>First 5 Hrs 400 lumen + 3 Hrs 200 lumens</b>				
Solar Panel	7.5 W 5.5V	<b>Application:</b> <b>Wall Washer, Advertising Lighting, Building &amp; Bridge Decoration, Plant Landscape Decoration, Fence etc.</b>				
Waterproof	IP 65					
Solar charging time	6~7 hours by bright sunlight	<b>Retail packaging:L112*W40*H42.8 CM</b> <b>Carton size: L80*W40*H60 CM</b> <b>QTY/CTNS: 4PCS</b> <b>G.W/CTNS: 18.3KG</b> <a href="http://www.usaemergencysolarenergy.com">www.usaemergencysolarenergy.com</a> PH+1-303-634-2208 Fax: +1-303-634-2208 Email: <a href="mailto:sales@usaemergencysolarenergy.com">sales@usaemergencysolarenergy.com</a>				
<b>Lighting time</b>	<b>Over 3 nights</b>					
Material	Aluminum+PC					
Size	1022*108*128mm					
Warranty	1 year					

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)





[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208 Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-  
2208 Fax: +1-303-634-2208 Email:  
[sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
[sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
[sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)





- **PRODUCTS DETAIL**

- 

Main Features:

- 1.Solar panel: High efficiency monocrystalline silicon
- 2.LED Color: RGB LED, 7 colors changeable
- 3.Battery : A graded Li-ion battery No.18650
- 4.Waterproof: IP65

Material : Aluminum Alloy + Tempered Glass

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

## How's the light working?

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

The first 5 hours 100% brightness



Then turn to 50% brightness for another 3 hours



After 8 hours, turn off

