

Model NO. : SLL-02

Solar RGB flood Light

High quality/Efficiency/Energy Saving

Application: Courtyard/Garden/ garage door/
warehouse/stable/gateway/escape trunk/corridor etc.

Categories: [Solar RGB Lights](#)

www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com



Features: 1). Aluminum alloy case, Patent design. 2). Super bright 44 LEDs, RGB 3). 9W solar panel can be replaced. 4). One button to choose 9 different lighting mode or off. Seven Colors for Decoration. 5). Easy to install		price per unit	100 pcs Price			
		us\$95.78 BUY NOW	us\$78.24 BUY NOW			
LED	3W, 44 LEDs, RGB	Lighting mode				
Li-ion battery	8000 mAh 3.7 V	5 hours 100% brightness and then 3 hours 50%, 8 hours per night. Red, Orange, Yellow, Green, Green Grass, Blue, Purple, Seven Colors. (1. Keeping one Color, 2. Seven Colors fast change, 3. Seven Colors gradual change. Total 9 different lighting modes)				
Solar Panel	6W ,6 V					
Waterproof	IP65	Application Garden, park, court yard, community, commercial building ,plaza ,etc.				
Solar charging time	6-7 hours					
Lighting time	3 nights	Retail packaging: cm Carton size: L58*W31*H47cm QTY/CTNS: 8PCS/CTN G.W/CTNS: 22.4KG www.usaemergencysolarenergy.com PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com				
Material	Aluminum alloy					
Size	242.5*120.5*92mm					
Warranty	1 year					

www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com





www.usaemergency solarenergy.com
PH: +1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergency solarenergy.com

www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



www.usaemergencysolarenergy.com PH+1-303-
634-2208
Fax: +1-303-634-2208 Email:
sales@usaemergencysolarenergy.com



• PRODUCTS DETAIL

•

Main Features:

- 1.Solar panel: High efficiency monocrystalline silicon
- 2.LED Color: RGB LED, 7 colors changeable
- 3.Battery : A graded Li-ion battery No.18650
- 4.Waterproof: IP65

Material : Aluminum Alloy + Tempered Glass


www.usaemergencysolarenergy.com PH+1-303-634-2208

Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com


How's the light working?

www.usaemergencysolarenergy.com PH+1-303-634-2208
Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com

The first 5 hours 100% brightness



Then turn to 50% brightness for another 3 hours



After 8 hours, turn off

