

### SML-03 Multifunctional Water Proof Solar Torch-Table-Wall-Motion Light

This multipurpose solar light functions as a solar powered torch, table lamp, and motion activated wall lamp, all in one convenient unit. With enough battery power from a full charge to last three nights, this light is a great choice as a wall light that can quickly become an emergency light source using the folding carry handle.

An Ingress Protection rating of IP65 means the unit is completely protected against dust and particles, and will withstand rain and low pressure water jets with no harmful effects, making this light an excellent choice for camping or any other all-weather use.

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208

Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208  
Fax: +1-303-634-2208 Email:  
[sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

<b>Features:</b> 1.Multifunctional solar light, use for wall, hand, table, hang in the tree or on the rope 2.Different Light mode easily controlled 3.Waterproof IP 65 4.Unique design with patent		price per unit	500 pcs Price			
		<b>us\$96.67</b> <b>BUY NOW</b>	<b>us\$87.45</b> <b>BUY NOW</b>			
<b>LED</b>	<b>Wall Light: 300 lumens</b> <b>Torch Light: 100 lumens</b>	<b>Lighting mode</b>				
Li-ion battery	2000 mAh 3.7 V	<b>1. Portable torch light: Users can use the lamp as torch light or table light if need.</b> <b>2. Wall light (with PIR function): 10lumens dim light(warm white) when no people, turn to 300lumens full brightness pure white when people walk 3-5m near.</b>				
Solar Panel	0.8W 5.5V					
Install height	2-4 meters	<b>Application:</b> <b>Rural areas, Farm, Wall, Table, Indoor, Camping, Agriculture</b>				
Waterproof	IP 65					
Solar charging time	12 hours by bright sunlight					
<b>Lighting time</b>	<b>Over 3 nights</b>	<b>Packing details:</b> <b>Retail packaging: L13.0*W11.8*H23.5CM</b> <b>Carton size: L49.5*W41*H49CM</b> <b>QTY/CTNS: 24PCS</b> <b>G.W/CTNS: 17.6KG</b> <a href="http://www.usaemergencysolarenergy.com">www.usaemergencysolarenergy.com</a> PH+1-303-634-2208 Fax: +1-303-634-2208 Email: sales@usaemergencysolarenergy.com				
Material	ABS+PC					
Size	202*118*108mm					
Warranty	1 years					



[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208 Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



[www.usaemergencyolarenergy.com](http://www.usaemergencyolarenergy.com) PH+1-303-634-2208 Fax: +1-303-634-2208 Email: [sales@usaemergencyolarenergy.com](mailto:sales@usaemergencyolarenergy.com)

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208 Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)



## Product Specifications

**Solar Panel:** 0.8W, 17% Efficiency

**Battery:** Lithium Ion 3.7V 2000mAh

**Wall Light:** 3W LED

**Torch Light:** 1W LED

**Weight:** 10.7kg

**Wall Light Modes:** 10 Lumens Dim Till Dawn, 300 Lumens Motion Activated

**Solar Charging Time:** 12 Hours in Full Sun

**Light Time From Full Charge:** 3 Nights

**Weather Protection:** IP65

**Motion Sensor Range:** 3-5 Meters

[www.usaemergencysolarenergy.com](http://www.usaemergencysolarenergy.com) PH+1-303-634-2208 Fax: +1-303-634-2208 Email: [sales@usaemergencysolarenergy.com](mailto:sales@usaemergencysolarenergy.com)

**Package Size:** 13.0×11.8×23.5cm